



CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Accredited Fields of Testing



Palo Alto Regional Water Quality Control Laboratory

Public Works
2501 Embarcadero Way
Palo Alto, CA 94303
Phone: 6506173169

Certificate No. 1087
Expiration Date 1/31/2021
INTERIM

Field of Testing: 101 - Microbiology of Drinking Water

101.010	002	Heterotrophic Bacteria	SimPlate
101.050	001	Total Coliform P/A	SM 9223 B Colilert
101.050	002	E. coli P/A	SM 9223 B Colilert
101.050	003	Total Coliform (Enumeration)	SM 9223 B Colilert
101.050	004	E. coli (Enumeration)	SM 9223 B Colilert
101.050	005	Total Coliform P/A	SM 9223 B Colilert 18
101.050	006	E. coli P/A	SM 9223 B Colilert 18
101.050	007	Total Coliform (Enumeration)	SM 9223 B Colilert 18
101.050	008	E. coli (Enumeration)	SM 9223 B Colilert 18

Field of Testing: 102 - Inorganic Chemistry of Drinking Water

102.095	001	Turbidity	SM 2130 B-2001
102.100	001	Alkalinity	SM 2320 B-1997
102.121	001	Hardness	SM 2340 C-1997
102.130	001	Specific Conductance	SM 2510 B-1997
102.148	001	Calcium	SM 3500-Ca B-1997
102.175	001	Chlorine, Free	SM 4500-Cl G-2000
102.175	002	Chlorine, Total Residual	SM 4500-Cl G-2000
102.190	001	Cyanide, Total	SM 4500-CN E-1999
102.200	001	Fluoride	SM 4500-F C-1997
102.203	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000
102.220	001	Nitrite (as N)	SM 4500-NO2 B-2000

Field of Testing: 103 - Toxic Chemical Elements of Drinking Water

103.140	006	Cadmium	EPA 200.8
103.140	007	Chromium	EPA 200.8
103.140	008	Copper	EPA 200.8
103.140	009	Lead	EPA 200.8
103.140	012	Nickel	EPA 200.8
103.140	014	Silver	EPA 200.8
103.140	016	Zinc	EPA 200.8

Field of Testing: 107 - Microbiological Methods for Non-Potable Water and Sewage Sludge

107.013	001	E. coli (Enumeration)	Colilert
107.015	002	Fecal Coliform (Enumeration)	Colilert 18
107.017	001	Enterococci	Enterolert

As of 2/1/2020, this list supersedes all previous lists for this certificate number.
Customers: Please verify the current accreditation standing with the State.

Field of Testing: 108 - Inorganic Constituents in Non-Potable Water

108.059	001	Turbidity	SM 2130 B-2011
108.063	001	Alkalinity	SM 2320 B-2011
108.067	001	Hardness	SM 2340 C-2011
108.069	001	Specific Conductance	SM 2510 B-2011
108.071	001	Residue, Total	SM 2540 B-2011
108.073	001	Residue, Filterable TDS	SM 2540 C-2011
108.075	001	Residue, Non-filterable TSS	SM 2540 D-2011
108.077	001	Residue, Volatile	SM 2540 E-2011
108.080	001	Temperature	SM 2550 B-2010
108.087	001	Calcium	SM 3500-Ca B-2011
108.114	001	Chlorine, Total Residual	SM 4500-Cl G-2011
108.114	002	Chlorine, Free	SM 4500-Cl G-2011
108.117	001	Chloride	SM 4500-Chloride C-2011
108.125	001	Cyanide, Total	SM 4500-CN E-2011
108.131	001	Fluoride	SM 4500-F C-2011
108.137	001	Hydrogen Ion (pH)	SM 4500-H+ B-2011
108.139	001	Ammonia (as N)	SM 4500-NH3 C-2011
108.153	001	Nitrite (as N)	SM 4500-NO2 B-2011
108.173	001	Oxygen, Dissolved	SM 4500-O G-2011
108.175	001	Phosphate, Ortho (as P)	SM 4500-P E-2011
108.175	002	Phosphorus, Total	SM 4500-P E-2011
108.207	001	Biochemical Oxygen Demand	SM 5210 B-2011
108.213	001	Chemical Oxygen Demand	SM 5220 D-2011

Field of Testing: 109 - Metals and Trace Elements in Non-Potable Water

109.625	003	Arsenic	EPA 200.8 (1994 Rev. 5.4)
109.625	007	Cadmium	EPA 200.8 (1994 Rev. 5.4)
109.625	008	Chromium	EPA 200.8 (1994 Rev. 5.4)
109.625	010	Copper	EPA 200.8 (1994 Rev. 5.4)
109.625	013	Lead	EPA 200.8 (1994 Rev. 5.4)
109.625	016	Nickel	EPA 200.8 (1994 Rev. 5.4)
109.625	017	Selenium	EPA 200.8 (1994 Rev. 5.4)
109.625	018	Silver	EPA 200.8 (1994 Rev. 5.4)
109.625	023	Zinc	EPA 200.8 (1994 Rev. 5.4)

Field of Testing: 110 - Volatile Organic Constituents in Non-Potable Water

110.040	005	Benzene	EPA 624.1
110.040	006	Bromodichloromethane	EPA 624.1
110.040	007	Bromoform	EPA 624.1
110.040	008	Bromomethane	EPA 624.1
110.040	010	Carbon Tetrachloride	EPA 624.1
110.040	011	Chlorobenzene	EPA 624.1
110.040	012	Chloroethane	EPA 624.1

110.040	014	Chloroform	EPA 624.1
110.040	015	Chloromethane	EPA 624.1
110.040	016	Dibromochloromethane	EPA 624.1
110.040	017	1,2-Dichlorobenzene	EPA 624.1
110.040	018	1,3-Dichlorobenzene	EPA 624.1
110.040	019	1,4-Dichlorobenzene	EPA 624.1
110.040	020	1,1-Dichloroethane	EPA 624.1
110.040	021	1,2-Dichloroethane	EPA 624.1
110.040	022	1,1-Dichloroethene (1,1-Dichloroethylene)	EPA 624.1
110.040	023	trans-1,2-Dichloroethene	EPA 624.1
110.040	024	1,2-Dichloropropane	EPA 624.1
110.040	025	cis-1,3-Dichloropropene	EPA 624.1
110.040	026	trans-1,3-Dichloropropene	EPA 624.1
110.040	029	Ethylbenzene	EPA 624.1
110.040	031	Methylene Chloride	EPA 624.1
110.040	034	1,1,2,2-Tetrachloroethane	EPA 624.1
110.040	035	Tetrachloroethylene (Tetrachloroethene)	EPA 624.1
110.040	037	Toluene	EPA 624.1
110.040	038	1,1,1-Trichloroethane	EPA 624.1
110.040	039	1,1,2-Trichloroethane	EPA 624.1
110.040	040	Trichloroethene	EPA 624.1
110.040	041	Vinyl Chloride	EPA 624.1
110.040	045	Trichlorofluoromethane	EPA 624.1

Field of Testing: 126 - Microbiological Methods for Ambient Water

126.015	001	E. coli (Enumeration)	Colilert
126.019	001	Enterococci	Enterolert